


Exposed Fastener | Roof & Wall




Product Description

Our SuperVic profile offers a cost-effective solution for roofing or wall applications. Its four main ribs, each 3/4" (19 mm) high, are reinforced with stiffening beads, ensuring triple protection and a snug-fitting side lap. This versatile profile is ideal for both roofing and wall installations, delivering reliable, long-term protection on a budget. SuperVic is the perfect choice for those seeking durability and affordability.

SuperVic



Fastening System



Market

- Residential
- Agricultural

Dimensions

Fastening System	Exposed fasteners
Application	Roof & Wall
Covered Width	29.955" (761mm) - Wall 29.955" (761mm) - Roof
Profile Depth	0.75" (19mm)

Available Gauges	Weight LB/FT2*
Gauge 24GA	1.20
26GA	0.91
28GA	0.76
30GA	0.62

*Weight-LB per square foot may differ per paint finish and profile covered width. Please contact your sales representative for further assistance.

Production Lengths

Victoriaville, QC	1' – 35' max (0.3 – 10.67m)
Stratford, ON	1' - 38' (0.3 – 9.45m)
Kensington, PE	3' – 38' max (0.9 – 9.45m)



Principal Characteristics

- SuperVic is a lightweight four-rib profile with stiffening beads on each sidelap
- Each rib has a depth of 3/4"
- SuperVic has 30" coverage, minimizing the cost of installation
- Versatile for roof and wall applications
- Ideal for minimum slope of 4:12 and greater

Exposed Fastener | Roof & Wall

SuperVic 30"

Signature – SMP Coated metal

							
Black 56068 26, 28GA	Carbon 55441 28GA	Greyberry 55090 28GA	Deep Grey 55174 28GA	Charcoal 56072 26, 28GA	Regent Grey 56082 26, 28GA	Stone Grey 56071 26, 28GA	Bone White 56069 26, 28GA
							
White White 56076 24, 26, 28, 30GA	Cambridge White 56161 26GA	Bright White 56086 28GA	Dark Brown 56062 26, 28GA	Oak Brown 56158 28GA	Cocoa Brown 56077 28GA	Metro Brown 56154 26, 28GA	Tan 56074 26, 28GA
							
Pebble Khaki 55051 28GA	Buckskin 55119 28GA	Burgundy 57319 28GA	Dark Red 56064 28GA	Tile Red 56066 28GA	Bright Red 56080 26, 28GA	Orange 55554 28GA	Gold 56070 28GA
							
Ivory 56090 28GA	Dark Green 56073 28GA	Green 56078 28GA	Cabec Green 56160 28GA	Pacific Turquoise 56156 28GA	Heron Blue 56079 28GA	Royale Blue 56081 28GA	Slate Blue 56067 28GA

Signature Matte – SMP Coated metal

				
Ebony 9822 28GA	Shadow Deep Grey 10695 28GA	Graphite 9821 28GA	Espresso 10276 28GA	Burnished Slate 10740 28GA

Colour Availability



Please scan the QR code or [click here](#) to confirm colour availability by region.

Polyester Finishes (Interior Application)


Liner White 5712 24, 30GA

Natural Finishes

	
Galvalume Plus AZ50 (AZM150) 26, 28, 30GA	Galvanized G90 28, 30GA

Warranty

[Weather XL](#)



Engineering & Environmental Documents

[CSSBI EPD](#)

[XCarb EPD](#)


Testing and Approvals

Test / Approval Type	Test Standard	Result
FIRE: Non-Combustibility	ULC S135	Pass
FIRE: External Fire Exposure	ULC S107	Class A, C
FIRE: External Fire Exposure	UL 790	Class A, C


Exposed Fastener | Roof & Wall

SuperVic 30"


Matching Trim System - Roof Application




Ridge/Cottage
Hip Cap
FR-6




Top Moulding
C-120




End & Sidewall
Flashing
C-141




End
FIR-6



Type A Valley - 24"
A=12"




Starter
S122




Starter
S123

Matching Trim System - Wall Application




Inside Corner
501




Outside Corner
504




Jamb
513



Drip
516



Conversion
520



Partition
521



Vicwest Inc. reserves the right to amend product specifications without prior notice. Product specification, thicknesses and colours shown in this document should not be taken as being available in all regions, and reference should be made to Vicwest's colour chart, or advice should be sought from Vicwest's Customer Service Department. Recommendations for the uses described herein should be verified for suitability and compliance with actual requirements of any local building codes, applicable laws and regulations.

Colours shown in this document are representative only. Final colour selection should be made from actual colour samples which are available through our Sample Store.

To ensure you are viewing the most recent and accurate product information, please scan the QR code or [click here](#).

vicwest-sv32-sheet-en-ca
MKG-DS-EN-V1

vicwest.com