

Exposed Fastener | Roof & Wall



UltraVic 36"



Product Description

A classic metal roofing profile that is easy to install, UltraVic is ideal for home and cottage owners seeking an economical, low-maintenance roofing solution that reliable in harsh weather conditions. UltraVic offers 36" coverage area per sheet, with exposed fasteners allowing for quick installation. This profile is ideal for minimum slopes of 3:12 and is available in our manufacturing plants across Canada.

UltraVic



Principle Characteristics

- A generous 36" coverage and exposed fastener system are ideal features for efficient installation
- Best suited for slopes 3:12 and greater
- highly durable system built to withstand elements
- Distinctive, architectural look
- Great for roof accents over dormers and entryways
- Available in 28 gauge standard, and 26 gauge in Stratford, Victoriaville, and Kensington.

Market

- Residential
- Agricultural

Dimensions

Fastening System	Exposed fasteners
Application	Roof & Wall
Covered Width	36" (914mm) - Wall 36" (914mm) - Roof
Profile Depth	0.698" (18mm)

Available Gauges

Weight LB/FT2*


Gauge	28GA	0.69
-------	------	------

*Weight-LB per square foot may differ per paint finish and profile covered width. Please contact your sales representative for further assistance.

Production Lengths

Victoriaville, QC	1' - 40' max (0.3 - 12.19m)
Kensington, PEI	3' - 38' max (0.9 - 11.58m)
Stratford, ON	1' - 38' max (0.3 - 11.58m)
Saskatoon, SK	3' - 39' max (0.9 - 11.89m)
Agassiz, BC	3' - 40' max (0.9 - 12.19m)



Fastening System







Exposed Fastener | Roof & Wall

UltraVic 36"

Signature – SMP Coated metal

							
Black 56068 28GA	Deep Grey 55174 28GA	Charcoal 56072 28GA	Regent Grey 56082 28GA	Stone Grey 56071 28GA	Bone White 56069 28GA	White White 56076 28GA	Bright White 56086 28GA
							
Dark Brown 56062 28GA	Cocoa Brown 56077 28GA	Metro Brown 56154 28GA	Tan 56074 28GA	Pabble Khaki 55051 28GA	Dark Red 56064 28GA	Tile Red 56066 28GA	Bright Red 56080 28GA
							
Dark Green 56073 28GA	Green 56078 28GA	Sage Green 56089 28GA	Heron Blue 56079 28GA	Royale Blue 56081 28GA	Slate Blue 56067 28GA		

Signature Matte – SMP Coated metal

			
Ebony 9822 28GA	Shadow Deep Grey 10695 28GA	Graphite 9821 28GA	Espresso 10276 28GA

Colour Availability



Please scan the QR code or [click here](#) to confirm colour availability by region.

Warranty

[Weather XL](#)


Polyester Finishes



Liner White
5712
29GA
(Interior Application)

Natural Finishes



Galvalume Plus
AZ50 (AZM150)
28GA

Galvanized
G90
28GA

Testing and Approvals

Test / Approval Type	Test Standard	Result
FIRE: Non-Combustibility	ULC S135	Pass
FIRE: External Fire Exposure	ULC S107	Class A, C
FIRE: External Fire Exposure	UL 790	Class A, C


Engineering & Environmental Documents

[CSSBI EPD](#)
[XCarb EPD](#)


Exposed Fastener | Roof & Wall

UltraVic 36"


Matching Trim System - Roof Application




Ridge/Cottage
Hip Cap
FR-6




Top Moulding
C-120




End & Sidewall
Flashing
C-141




End
FIR-6



Type A Valley - 24"
A=12"




Starter
S122




Starter
S123

Matching Trim System - Wall Application




Inside Corner
501




Outside Corner
504




Jamb
513



Drip
516



Conversion
520



Partition
521



Vicwest Inc. reserves the right to amend product specifications without prior notice. Product specification, thicknesses and colours shown in this document should not be taken as being available in all regions, and reference should be made to Vicwest's colour chart, or advice should be sought from Vicwest's Customer Service Department. Recommendations for the uses described herein should be verified for suitability and compliance with actual requirements of any local building codes, applicable laws and regulations.

Colours shown in this document are representative only. Final colour selection should be made from actual colour samples which are available through our Sample Store.

To ensure you are viewing the most recent and accurate product information, please scan the QR code or [click here](#).

vicwest-uv36-data-sheet-en-ca

MKG-DS-EN-V2